



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Airport Tug		437090S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
Airport Tug		437091S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
Airport Tug		437092S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
AJAX 7.25-8.5L		437940M	Brass Tanks S/O	20 1/8"	18 3/4"	2 5/8"	3	Plain	No	No	No	M
AJAX DP-60		437939	Brass Tanks S/O	25 1/8"	25 7/8"	3 3/4"	5	Plain	No	No	No	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>Arrow 42</b>		437998	Brass Tanks S/O	19 1/2"	21 3/16"	2 5/8"	4	Plain	No	No	No	D
<b>Arrow 54</b>		437999	Brass Tanks S/O	27"	22 1/2"	2 3/8"	4	Plain	No	No	No	D
<b>Arrow 62</b>		437997	Brass Tanks S/O	30 5/8"	27"	2 5/8"	4	Plain	No	No	No	D
<b>CAT 3306 &amp; 3126</b>		<b>437957</b>	Steel Tanks B/O	33 1/2"	28 1/2"	4 1/2"	5	Plain	Yes	Yes	Yes	S
<b>CAT 3306 &amp; 3126</b>		<b>437957SC</b>	Steel Tanks B/O	33 1/2"	28 1/2"	4 1/2"	5	Solder Coated Fins	Yes	Yes	Yes	S



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>CAT 3306TA LNT</b>		<b>437986PKG</b>	Steel Tanks B/O Rad&Aftercooler Package	43 7/8"	43 3/4"	3" 1 1/2"	4 2	Plain	No	Yes	No	M
<b>CAT 3406</b>		<b>437983</b>	Steel Tanks B/O	38"	36"	3 3/4"	5	Plain	Yes	Yes	Yes	D
<b>CAT 3406</b>		<b>437983SC</b>	Steel Tanks B/O	38"	36"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D
<b>CAT 3408</b>		<b>437982</b>	Steel Tanks B/O	45"	47 13/16"	4 1/2"	6	Plain	Yes	Yes	Yes	D
<b>CAT 3408</b>		<b>437982SC</b>	Steel Tanks B/O	45"	47 13/16"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>CAT 3412</b>		<b>437981</b>	Steel Tanks B/O	51"	47 13/16"	4 1/2"	6	Plain	Yes	Yes	Yes	D
<b>CAT 3412</b>		<b>437981SC</b>	Steel Tanks B/O	51"	47 13/16"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>CAT 379</b>	5L2451	<b>437980</b>	Steel Tanks B/O	65 3/4"	54"	4 1/2"	6	Plain	Yes	Yes	Yes	M
<b>CAT 398 &amp; 399</b>		<b>437400</b>	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Plain	Yes	Yes	Yes	D
<b>CAT 398 &amp; 399</b>		<b>437400-SC</b>	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>CAT 398 &amp; 399</b> W/ Motor&Top Surge Tank		<b>437404</b>	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>CAT C15</b>		<b>437949PKG</b>	Steel Tanks B/O Radiator & CAC Package	50	27 1/2"	6	8	Plain	Yes	Yes	Yes	D
<b>CAT C18</b>		<b>437987PKG</b>	Steel Tanks B/O Radiator & CAC Package	57"	30 1/2"	3 1/16"	4	Plain	Yes	Yes	Yes	M
<b>CAT C18</b>		<b>437987PKGSC</b>	Steel Tanks B/O Radiator & CAC Package	57"	30 1/2"	3 1/16"	4	Solder Coated Fins	Yes	Yes	Yes	M
<b>Cummins K50</b>	X3340	<b>437996</b>	Steel Tanks B/O	68 15/16"	68 5/16"	4 5/8"	6	Plain	Yes	Yes	No	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 12V-2000 (1006 HP)</b>		<b>437956M</b>	Steel Tanks B/O Rad&Aftercooler Package	69 1/8"	59 5/8"	2 15/16" 2 3/8"	4 4	Plain	Yes	Yes	No	M
<b>DD 12V-2000 (850 HP)</b>		<b>437988M</b>	Steel Tanks B/O Rad&Aftercooler Package	63 3/4"	52 7/8"	2 15/16" 2 3/8"	4 4	Plain	Yes	Yes	No	M
<b>DD 12V-71</b> Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	<b>437962G</b>	Steel Tanks B/O Galvanized	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>DD 12V-71</b> Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	<b>437962</b>	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Plain	Yes	Yes	Yes	D
<b>DD 12V-71</b> Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	<b>437962SC</b>	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 16V-4000 (3000HP)</b>		<b>437994M</b>	Steel Tanks B/O Rad&Aftercooler Package	80 3/4 73 1/16	95 95	3 3/16 3 3/16	4 4	Plain	Yes	Yes	Yes	M
<b>DD 16V-71</b>		<b>437953</b>	Steel Tanks B/O	50"	49 7/8"	4 1/2"	5	Plain	Yes	Yes	Yes	S
<b>DD 16V-71</b>		<b>437953EC</b>	Steel Tanks B/O	50"	49 7/8"	4 1/2"	5	Epoxy Coated	Yes	Yes	Yes	S
<b>DD 16V-92</b>		<b>437989</b>	Steel Tanks B/O	55"	57"	4"	4	Plain	Yes	Yes	Yes	S
<b>DD 16V-92</b>		<b>437989SC</b>	Steel Tanks B/O	55"	57"	4"	4	Solder Coated Fins	Yes	Yes	Yes	S



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 3-53 &amp; 4-53</b>	5119023	<b>437909</b> <small>Can also use 437909M</small>	Brass Tanks S/O	25 3/16"	26 1/4"	3"	4	Solder Coated Fins	No	Yes	No	D
<b>DD 3-53 &amp; 4-53</b>	5119023	<b>437909M</b> <small>Can also use 437909</small>	Brass Tanks S/O	25 3/16"	26 1/4"	3"	4	Solder Coated Fins	No	Yes	No	M
<b>DD 60 (475 HP) - Short (Cools Tier II Engine Only)</b>		<b>437975PKG</b> <small>Can also use 437975PKG D</small>	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Plain	Yes	Yes	Yes	M
<b>DD 60 (475 HP) - Short (Cools Tier II Engine Only)</b>		<b>437975PKGD</b> <small>Can also use 437975PKG</small>	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Plain	Yes	Yes	Yes	D
<b>DD 60 (475 HP) - Short (Cools Tier II Engine Only)</b>		<b>437975PKGDSC</b>	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Solder Coated Fins	Yes	Yes	Yes	D





## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*

**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 60 (475 HP) - Tall</b>		<b>437993PKGD</b>	Steel Tanks B/O Radiator & CAC Package	54 13/16	25 5/16	4 1/2	6	Plain	Yes	Yes	Yes	D
<b>DD 60 (600 HP)</b>		<b>437977PKG</b>	Steel Tanks B/O Radiator & CAC Package	43"	31"	3 1/16"	4	Plain	Yes	Yes	Yes	M
<b>DD 6-7I &amp; 6-7IT</b> <small>Being Superseded to 437906M</small>	8927124	<b>437906</b> <small>Can also use 437906M</small>	Brass Tanks S/O	29"	26 1/4"	3 3/4"	5	Solder Coated Fins	No	No	No	D
<b>DD 6-7I &amp; 6-7IT</b> <small>Other Parts Sold Separately 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand &amp; Grill</small>	8927124	<b>437901M</b>	Brass Tanks S/O	29"	26 1/4"	3 3/4"	5	Plain	054367ISG Plus Stand	054367ISH	054367IFG	M
<b>DD 6-7I &amp; 6-7IT</b> <small>Other Parts Sold Separately 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand &amp; Grill</small>	8927124	<b>437903M</b>	Brass Tanks S/O	29"	26 1/4"	3"	4	Plain	054367ISG Plus Stand	054367ISH	054367IFG	M



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 6-7I &amp; 6-7IT</b> <u>Other Parts Sold Separately</u> 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill	8927124	<b>437906M</b> Can also use 437906	Brass Tanks S/O	29"	26 1/4"	3 3/4"	5	Solder Coated Fins	054367ISG Plus Stand	054367ISH	054367IFG	M
<b>DD 6-7I &amp; 6-7IT</b> <u>Other Parts Sold Separately</u> 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill	8927124	<b>437907M</b>	Brass Tanks S/O	29"	26 1/4"	3"	4	Solder Coated Fins	054367ISG Plus Stand	054367ISH	054367IFG	M
<b>DD 6V-7INA</b>		<b>437955</b>	Steel Tanks B/O	29 3/4"	28 1/8"	3 3/4"	5	Plain	Yes	Yes	Yes	D
<b>DD 6V-7INA</b>		<b>437955G</b>	Steel Tanks B/O Galvanized	29 3/4"	28 1/8"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D
<b>DD 6V-7INA</b>		<b>437955SC</b>	Steel Tanks B/O	29 3/4"	28 1/8"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 8V-71, 6V-92 &amp; 6V-71T</b>	5123784	<b>437910</b>	Steel Tanks B/O	39 5/16"	33 3/4"	4 5/8"	6	Plain	Yes	Yes	Yes	D
<b>DD 8V-71, 6V-92 &amp; 6V-71T</b>	5123784	<b>437911</b>	Steel Tanks B/O	39 5/16"	33 3/4"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>DD 8V-71, 6V-92 &amp; 6V-71T</b>	5123784	<b>437911G</b>	Steel Tanks B/O Galvanized	39 5/16"	33 3/4"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>DD 8V-92 &amp; 8V-71HD</b> Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	<b>437917</b>	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Plain	Yes	Yes	Yes	D
<b>DD 8V-92 &amp; 8V-71HD</b> Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	<b>437919</b>	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>DD 8V-92 &amp; 8V-71HD</b> Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	<b>437919G</b>	Steel Tanks B/O Galvanized	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
<b>Komatsu D155</b>	17A0341112	<b>437990</b>	Brass Tanks S/O	45 1/2"	15 1/2"	4 1/2"	6	Plain Tube Guards	No	No	No	D
<b>Komatsu D275</b>	17M0351110	<b>437991</b>	Brass Tanks S/O	44 1/2"	13 1/2"	4 1/2"	6	Plain Tube Guards	No	No	No	D
<b>Lincoln Welder 200-300</b> RANGER / VANTAGE		437700	All Alum	17 3/4"	14 7/8"	1 7/8"		Plain	No	No	No	S
<b>Lincoln Welder 200A</b>		<b>437912</b> Can also use 437912M	Brass Tanks S/O	19"	20"	1 3/4"	3	Plain	No	No	No	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>Lincoln Welder 200A</b>		<b>437912M</b> <small>Can also use 437912</small>	Brass Tanks S/O	19"	20"	1 3/4"	3	Plain	No	No	No	M
<b>Lincoln Welder 250A</b>		<b>437913</b> <small>Can also use 437913M</small>	Brass Tanks S/O	21 3/8"	20"	1 3/4"	3	Plain	No	No	No	D
<b>Lincoln Welder 250A</b>		<b>437913M</b> <small>Can also use 437913</small>	Brass Tanks S/O	21 3/8"	20"	1 3/4"	3	Plain	No	No	No	M
<b>Lincoln Welder 400-500</b> RANGER / VANTAGE		437701	All Alum	20 9/16"	14 7/8"	1 7/8"		Plain	No	No	No	S
<b>Lincoln Welder 400A</b>		<b>437995</b>	Brass Tanks S/O	21 3/8"	19 1/8"	1 1/2"	2	Plain	No	No	No	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>Lincoln Welder 400A</b>		<b>437995SC</b>	Brass Tanks S/O	21 3/8"	19 1/8"	1 1/2"	2	Solder Coated Fins	No	No	No	D
<b>Onan 0130-3587</b>	X-3874	<b>437947M</b>	Steel Tanks B/O	54"	47 1/8"	2 1/4"	3	Plain	No	No	No	M
<b>Waukesha 1197</b>		<b>437963M</b> <small>Can also use 437963</small>	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Plain	Yes	Yes	Yes	M
<b>Waukesha 1197</b>		<b>437963</b> <small>Can also use 437963M</small>	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Plain	Yes	Yes	Yes	D
<b>Waukesha 1197</b>		<b>437963SC</b>	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	D



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>Waukesha 145 &amp; 817</b>		<b>437959M</b> <small>Can also use 437959</small>	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Plain	Yes	Yes	Yes	M
<b>Waukesha 145 &amp; 817</b>		<b>437959</b> <small>Can also use 437959M</small>	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Plain	Yes	Yes	Yes	S
<b>Waukesha 145 &amp; 817</b>		<b>437959SC</b>	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	S
<b>Waukesha 145 &amp; 817</b>		<b>437959GSC</b>	Steel Tanks B/O Galvanized	35 7/8"	33 1/4"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	S
<b>Waukesha 220 &amp; 330</b>		<b>437958M</b>	Steel Tanks B/O	27"	21 1/4"	2"	3	Plain	Yes	Yes	Yes	M



## Industrial Tough™ Commercial and Industrial Radiators

*Radiators for Gen Sets, Welders, and more.*



**Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.**

Rel# 100116

Note: DD = Detroit Diesel

**Note:** The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

(M=RR/S=DH/D=Dallas)

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
<b>Waukesha 220 &amp; 330</b>		<b>437958EC</b>	Steel Tanks B/O	27"	21"	2 1/4"	3	Epoxy Coated	Yes	Yes	Yes	S